

Quidam 2007



14 wks cold; in grnhse 2 Jan. (0087)



17 wks cold; in grnhse 26 Feb. (0362)



15 wks cold; in grnhse 15 Jan. (0163)



19 wks cold; in grnhse 12 Mar. (0435)



16 wks cold; in grnhse 29 Jan. (0221)



21 wks cold; in grnhse 26 Mar. (1333)

N/A

17 wks cold; in grnhse 12 Feb (xxx)

N/A

23 wks cold; in grnhse 16 Apr. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Quidam' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 4-6 days after placing in the greenhouse.

Quidam 2008



14.5 wks cold; in grnhse 7 Jan. (0052)

19 wks cold; in grnhse 11 Mar. (xxx)



16 wks cold; in grnhse 22 Jan. (0174)

21 wks cold; in grnhse 25 Mar. (xxx)



17 wks cold; in grnhse 5 Feb Jan. (0522)



23 wks cold; in grnhse 16 Mar. (0801)

N/A

18 wks cold; in grnhse 26 Feb. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Quidam' tulips. Cold duration varies between panels from 14.5-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench (2-7 days after placing in the greenhouse, depending on growth).