

Synaeda Blue Fresh Cut Tulips 2003

N/A

14 wks cold; in grnhse 6 Jan.



15 wks cold; in grnhse 20 Jan. (3373)

N/A

19 wks cold; in grnhse 10 Mar. (xxx)



20 wks cold; in grnhse 24 Mar. (4051)



16 wks cold; in grnhse 10 Feb. (3551)

N/A

22 wks cold; in grnhse 7 Apr. (xxx)



17 wks cold; in grnhse 24 Feb. (3666)

Effect of cold-weeks on overall appearance of 'Synaeda Blue' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 14-22 weeks. 15 bulbs were planted into a 12" (30 cm) container with MetroMix 360. Experiment 2003-T2.

Synaeda Blue Fresh Cut Tulips 2004



13 wks cold; in grnhse 22 Dec. (0006)



19 wks cold; in grnhse 1 Mar. (0781)



14 wks cold; in grnhse 5 Jan. (1214)



21 wks cold; in grnhse 15 Mar. (1070)



16 wks cold; in grnhse 19 Jan. (1511)



22 wks cold; in grnhse 5 Apr. (1405)



18 wks cold; in grnhse 9 Feb (0384)

Effect of cold-weeks on overall appearance of 'Synaeda Blue' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13-22 weeks. 15 bulbs were planted into a 12" (30 cm) container with MetroMix 360. Experiment 2004-T2.

Synaeda Blue Fresh Cut Tulips 2005

N/A
14 wks cold; in grnhse 3 Jan. (n/a)

N/A
19 wks cold; in grnhse 7 Mar. (n/a)

N/A
15 wks cold; in grnhse 17 Jan. (n/a)

N/A
21 wks cold; in grnhse 21 Mar. (n/a)



N/A
16 wks cold; in grnhse 31 Jan. (n/a)

23 wks cold; in grnhse 4 Apr. (0139)

N/A
17 wks cold; in grnhse 21 Feb (n/a)
Effect of cold-weeks on overall appearance of 'Synaeda Blue' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 14-23 weeks. 15 bulbs were planted into 12" (30 cm) container with MetroMix 360. Experiment 2005-T2.