



**Blue Jacket 2009 (15 cold-weeks)**



Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2009-H2, Set 1. Image 0908.



**Postharvest.** Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2009-H2, Set 1. Image 1210.

Blue Jacket 2010 (15 cold-weeks)



Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2010-H2, Set 1. Image 0160.



**Postharvest.** Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2010-H2, Set 1. Image 0348.



**Blue Jacket 2009 (18 cold-weeks)**



Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2009-H2, Set 1. Image 1624.



**Postharvest.** Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2009-H2, Set 1. Image 1802.

**Blue Jacket 2010 (18 cold-weeks)**

n/a

Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2010-H2, Set 1. Image xxx.

n/a

**Postharvest.** Left to right: Control, 1, 2, 3, 4 mg/pot Topflor drench in the greenhouse. Expt. 2010-H2, Set 1. Image xxx.